


MP - 2 (10.9, 12.9)


Plough bolts with conical head with nuts DIN 934 (10.9)

THE MOST PARTICULAR USE

The bolts to machinery of KVERNELAND

The most often used OEM codes are Kverneland: KK013228 M12 x 34, KK013234 M12 x 38





Specifications

d	c	D	x	v	s	m
M 10	7,00	15,90	15°	13,50	17,00	8,00
M 12	7,00	15,90	15°	13,50	19,00	10,00

The bolts MP - 2 do fit to machinery of OEM KVERNELAND, ÖVERUM, PÖTTINGER, LANDSBERG, LEMKEN, NIEMEYER, RABE, OVLAC, KÖCKERLING, FARMET, BEDNAR, ROSS PHX, UNIA GRUDZIADZ, OPALL AGRI and many others.

Packaging

Packed in boxes / pcs		Packing without nuts	Packaging with nuts
10 x 25	MP - 2 10.9, 12.9	100	100/100
10 x 30	MP - 2 10.9, 12.9	100	100/100
10 x 35	MP - 2 10.9, 12.9	100	100/100
10 x 40	MP - 2 10.9, 12.9	100	100/100
12 x 30	MP - 2 10.9, 12.9	150	100/100
12 x 33	MP - 2 10.9, 12.9	150	100/100
12 x 34	MP - 2 10.9, 12.9	150	100/100
12 x 35	MP - 2 10.9, 12.9	150	100/100
12 x 37	MP - 2 10.9, 12.9	100	50/50

12 x 38	MP - 2 10.9, 12.9	100	50/50
12 x 40	MP - 2 10.9, 12.9	100	50/50
12 x 42	MP - 2 10.9, 12.9	100	50/50
12 x 45	MP - 2 10.9, 12.9	100	50/50
12 x 50	MP - 2 10.9, 12.9	100	50/50
12 x 55	MP - 2 10.9, 12.9	50	50/50
12 x 60	MP - 2 10.9, 12.9	50	50/50
12 x 70	MP - 2 10.9, 12.9	50	50/50
12 x 80	MP - 2 10.9, 12.9	50	50/50
12 x 90	MP - 2 10.9, 12.9	50	50/50
12 x 100	MP - 2 10.9, 12.9	50	50/50